

CAP FLASHING & WOOD
BLOCKING (BY OTHERS)

1½"x1½"x3" EMBEDDED PLASTIC
NAILING INSERTS ALTERNATING
AT INSIDE AND OUTSIDE FACE AT
2'-2¼" O/C

TEMPORARY FORMED POCKET
10" WIDE x 5 ⅛" DEEP AT JOIST
LOCATIONS

TO SUIT

JOIST BEARING PLATE
W/ANCHOR BOLTS. ANCHOR
BOLT HOOKS PARALLEL TO
CONFORM WEBS (BY OTHERS)

EXTERIOR WALL CLADDING
(BY OTHERS)

8" CF8 WALL

GALVANIZED METAL
FLASHING CONTINUOUS TO
UNDERSIDE CLADDING
(BY OTHERS)

ROOFING MEMBRANE
CONTINUOUS TO
UNDERSIDE FLASHING
(BY OTHERS)

GALVANIZED STEEL DECK
(BY OTHERS)

TO SUIT

OPEN WEB STEEL JOIST
(BY OTHERS)

WALL REINFORCING BARS
(BY OTHERS)

8" MIN.

TEMPORARY FORMED POCKET
10" WIDE x 5 ⅛" DEEP AT JOIST
LOCATIONS

OPEN WEB STEEL JOIST
(BY OTHERS)

JOIST BEARING PLATE
W/ANCHOR BOLTS. ANCHOR
BOLT HOOKS PARALLEL TO
CONFORM WEBS (BY OTHERS)

- DETAIL FOR FORMWORK ONLY

- ALL DETAILS, REINFORCING STEEL & CONCRETE MUST
BE DESIGNED & CONFIRMED BY PROJECT STRUCTURAL
ENGINEER AND / OR PROJECT ARCHITECT.



Nuform Building Technologies Inc.
1 Regalcrest Court,
Woodbridge, Ontario, Canada L4L 8P3
Tel: 905-652-0001 Fax: 905-652-0002
Toll Free: 1-877-747-9255
Web Page: www.nuformdirect.com

8" CF8 WALL - LOW ROOF BEARING WALL & OPEN WEB STEEL JOIST



DRAWING NO.

R605

COPYRIGHT 2008

SCALE:

1½":1'

REVISION No.:

R00