

HEADER SECTION

8" CF8i WALL

NO CAULKING ABOVE FLASHING

FLASHING (BY OTHERS)

BUTT WELD BENT PLATES AT CORNERS

$\frac{1}{4}" \phi \times 3"$ SCREWS WITH FLANGED HEX HEAD AT 8" O/C MAX.

HORIZONTAL REINFORCING BARS AS REQUIRED

$\frac{1}{2}" \phi \times 3"$ NELSON STUD OR #5x12" REINFORCING BAR WELDED TO BENT PLATE AT 1'-1" O/C (BY OTHERS)

$\frac{1}{4}"$ BENT PLATE PRE-DRILLED WITH $\frac{5}{16}" \phi$ HOLES AT 8" O/C MAX. (BY OTHERS)

JAMB SECTION

$\frac{1}{4}"$ BENT PLATE w/ $\frac{1}{2}" \phi \times 3"$ NELSON STUD OR #5x5" ($\frac{3}{4}"$) HOOKED REINFORCING BAR WELDED TO BENT PLATE AT 1'-8" O/C (BY OTHERS)

OVERHEAD DOOR (BY OTHERS)

CLEAR INSIDE DIMENSION FOR STEEL PLATE

SILL SECTION

SLOPED SILL

X - X

2 - $\frac{5}{8}" \phi \times 4"$ EXPANSION ANCHORS

$\frac{1}{4}"$ BENT PLATE 3"x11" WELDED TO DOOR JAMB PLATE (BY OTHERS)

- DETAIL FOR FORMWORK ONLY

- ALL DETAILS, REINFORCING STEEL & CONCRETE MUST BE DESIGNED & CONFIRMED BY PROJECT STRUCTURAL ENGINEER AND / OR PROJECT ARCHITECT.



Nuform Building Technologies Inc.
1 Regalcrest Court,
Woodbridge, Ontario, Canada L4L 8P3
Tel: 905-652-0001 Fax: 905-652-0002
Toll Free: 1-877-747-9255
Web Page: www.nuformdirect.com

8" CF8i WALL - OVERHEAD DOOR



DRAWING NO.

A135

COPYRIGHT 2008

SCALE:

2":1'

REVISION No.:

R00